[Mr. R. Pitchu Aiyangar.]

for a certain interval after one train has left. But in the case of buses, there are other buses also allowed to go. The passenger thinks that if he fails to catch the first bus he can catch the next one. The result is the regular service also fails.

Mr. M. N. Paramesvaran Pillai : May I know whether the Commissioner is aware of cases where these bus owners who have secured a large number of timings do not use those timings even though they get some passengers at those timings.

Mr. R. Pitchu Aiyangar : No Sir, there is no such instance.

Mr. J. John Kattakaym : മോഷൻ പിൻവലിക്കുന്നു.

Chairman : I put it that Demand No. XII—Police, for Rs. 7,04,201 be passed. The demand was passed and the grant was made.

DEMAND No. XIII.

ELECTRICITY AND TELEPHONE

Mr. K. P. Padmanabha Menon : Sir, I move for a grant of not exceeding Rs. 41,97,431 under Demand No. XIII,—Electricity and Telephone.

Mr. M. N. Parmesvaran Pillai : Sir, on a point of order. Am I entitled to question the member when he is moving the Demand ?

Chairman : A considered ruling on this question has been given by the Dewan-President. Provisionally, I rule that you cannot put any questions while he is moving the Demand.

Mr. M. N. Paramesvaran Pillai : May I point out that under the Rules, questions can be put to the member when he is in possession of the House ?

Chairman I have already given a ruling. The Dewan-President has also given a ruling and a considered ruling will be given later.

Mr. J. John Kattakayam : സർ. പള്ളിവാസൽ വൈദ്യുത പദ്ധതി ആരംഭിക്കുന്നതിനു മുൻപു ഇടുക്കിജലപാതപദ്ധതി ഗവണ്മെൻറിന്റെ ശ്രദ്ധക്ക് വിഷയീഭവിച്ചിരുന്നു എന്നാണു ഞാൻ അറിയുന്നതു്. സാധുക്കളുടേയും ഉൾനാട്ടുകാരുടേയും സൌകര്യത്തേയും ഗവണ്മെൻറിന്റെ ആദായത്തേയും ക്രമത്തിൽ പൂർകിട്ടുന്നതിനേയും മറ്റും മുൻനിറുത്തിയാണു ഇപ്രകാരം ഒരു പുതിയ സ്കീം ഗവണ്മെൻറിൽ സമർപ്പിച്ചിട്ടുള്ളതു്. ഗവൺമെൻറു അതു പാടെ തള്ളിക്കളയുകയാണുണ്ടായിട്ടുള്ളതു്. നേരെമറിച്ചു അന്നു സമർപ്പിച്ചിരുന്ന ആ പദ്ധതി ഗവണ്മെൻറു സ്വീകരിച്ചിട്ടുണ്ടെങ്കിൽ പള്ളിവാസലിലെക്കാൾ ക്രമത്തിൽ ആദായകരമാകുമായിരുന്നു.

LIBRARY ARCHIVES Kerala Legislative Assembly

ആ പദ്ധതിയുടെ ഉല്പാദനസ്ഥാനം എന്റെ നിയോജകമണ്ഡലത്തിലുൾപ്പെട്ട ഒരു സ്ഥലമാണ്. പേരുകേൾക്കുമ്പോൾ അല്പം ഭാവവ്യത്യാസം തോന്നിയേക്കാമെങ്കിലും അതായംകൂട്ടൽ ഉണ്ടാകാവുന്ന ഒരു പദ്ധതിയാണത്. ഞാൻ പറയുന്നതു ഇടുക്കിജലപാതത്തെ സംബന്ധിച്ചാണ്. ഏതായാലും പള്ളിവാസൽസ്കീം നടപ്പായിക്കഴിഞ്ഞാൽ ഇടുക്കിയുമായ, സംഘടിപ്പിച്ചുതരാമെന്നുള്ള ഒരു മനഃസ്ഥിതി വന്നിട്ടുള്ളതായി കാണുന്നതിൽ ഞാൻ ഗവൺമെൻറിനെ അഭിനന്ദിച്ചുകൊള്ളുന്നു.

നമ്മുടെ അന്നദാതാവായ മഹാരാജാവുതിരുമനസ്സുകൊണ്ടും രാജകുടുംബാംഗങ്ങളുംകൂടി പൌവ്വർഹൌസ് ശിലാസ്ഥാപനാവസരത്തിൽ അവിടെ സന്നിഹിതരായിരുന്നപ്പോൾ അനുദ്യോഗസ്ഥന്മാരായ ഞങ്ങളെക്കൂടി അവിടെ ക്ഷണിച്ചുവരുത്തി യഥോചിതം സൽക്കരിച്ചതിൽ എലക്ട്രിക് ഇൻജിനീയർ മി. മേനോനെ ഞാൻ അഭിനന്ദിച്ചുകൊള്ളുന്നു. ഇദ്ദേഹം ഉയർന്നനിലയിൽ ജീവിക്കുന്ന ഒരാൾ ആയിരുന്നിട്ടും അവിടെ ഒരു ചെറുകുടിലിൽ താമസിച്ചുംകൊണ്ടു ഞങ്ങളെ യഥോചിതം സൽക്കരിക്കുകയാണുണ്ടായതു്. ഇതുയും അദ്ദേഹത്തെപ്പറ്റി പ്രസ്താവിക്കുവാനുണ്ടായ കാരണം നേര്യമംഗലം പാലത്തിന്റെ ഉൽഘാടനാവസരത്തിൽ ചീഫ് എൻജിനീയർ കാണിച്ച ധിക്കാരത്തെക്കുറിച്ചു ഓർമ്മവന്നതുകൊണ്ടാണ്.

ഈ പദ്ധതി സംബന്ധിച്ചുള്ള കെട്ടിടങ്ങളുടെ പണി കൺട്രാക്ടറായികൊടുക്കാറുണ്ടു്. ഇങ്ങിനെ പണിയിക്കുന്ന കെട്ടിടങ്ങൾ പണി തീരുമ്പോൾ ഇടിഞ്ഞുപൊളിഞ്ഞുപോകുന്നുണ്ടു്. പള്ളത്തു സ്ഥാപിക്കുവാൻ തീർച്ചയാക്കിയിരിക്കുന്ന പൌവർഹൌസിന്റെ കെട്ടിടം തീരാറായപ്പോൾതന്നെ അതു ഇടിഞ്ഞുപൊളിഞ്ഞു പോകുകയുണ്ടായി. ഇതിനെപ്പറ്റി ഇലക്ട്രിക്കൽ ഇൻജിനീയരുമായി സംസാരിച്ചപ്പോൾ പെട്ടെന്നുള്ള പണികളും മഴയുടെ ആധിക്യവും കൊണ്ടുവന്നതാണെന്നു അദ്ദേഹം മറുപടിപറഞ്ഞു. ആ കെട്ടിടപണികളിൽ ഏർപ്പെട്ടവർ ഉത്തരവാദിത്വത്തോടുകൂടി പ്രവർത്തിക്കുന്നില്ല. പരിതസ്ഥിതികളുടെ യോജിപ്പുകുറവുകൊണ്ടോ കൃത്യനിർവഹണത്തിലുള്ള ശ്രദ്ധക്കുറവുകൊണ്ടോ ചില മരണങ്ങൾ വൈദ്യുതപ്രവാഹമേറ്റു സംഭവിക്കുന്നതായി കാണുന്നുണ്ടു്. ഇങ്ങിനെയുള്ള മരണങ്ങൾ മേലാലെങ്കിലും ഉണ്ടാവാതിരിക്കുന്നതിലും ഡിപ്പാർട്ടുമെൻറുമേധാവിയുടെ ശ്രദ്ധ കൂടുതലായി പതിയേണ്ടതാണ്.

LIBRARY ARCHIVES Kerala Legislative Assembly

Mr. K. P. Padmanabha Menon : മെമ്പർ പ്രസ്ഥാവിച്ച മരണം എവിടെയാണ നടന്നത്?

Mr. J. John Kattakayam : കോട്ടയത്തും മറും നടന്നതായി പേപ്പറിൽ കണ്ടതാണ്.

Mr. K. P. Padmanabha Menon : അങ്ങിനെയുള്ള മരണങ്ങൾ എന്റെ അറിവിൽ ഉണ്ടായിട്ടില്ല.

Mr. J. John Kattakayam : ക്രൂരതെ വേലക്കാരെ എടുക്കുന്നതു പ്രായേണ വിദേശികളെയാണ്. അതു ആശാസ്യമല്ല. സ്വദേശികളായ ജോലിക്കാർ ഏതുകുറഞ്ഞ ക്രൂലിക്കും വേലചെയ്യുവാനുണ്ട്. അതുകൊണ്ടു അവരെത്തന്നെ ജോലിക്കു എടുക്കേണ്ടതാണ്.

ഇതുപകസംഗതികളിൽ ഡിപ്പാർട്ടുമെന്റുമേധാവിയുടെ ശ്രദ്ധ അതിരേണ പ്രതിയുമെന്നു വിശ്വസിക്കുന്നു.

Mr. N. K. Padmanabha Pillai : സർ, എലക്ട്രിക്കുലൈൻ നെയ്യാറിൻകര മുനിസിപ്പാലിറ്റിയുടെ അതൃത്തിവരെ നീട്ടിക്കിട്ടേണ്ടതത്യാവശ്യമാണന്നു ഞാൻ ഇതിനുമുമ്പു പലപ്രാവശ്യവും ഗവൺമെന്റിനെ അറിയിച്ചിട്ടുണ്ട്. അതിനെപ്പറ്റി ആലോചിക്കുന്നതാണെന്നും അതിനു ഇതുരുപാചിലവുവരുന്നതാണെന്നും ഗവൺമെന്റു പ്രസ്താവിച്ചിട്ടുണ്ട് വീണ്ടും ഒരിക്കൽകൂടി ഞാൻ ഇതിന്റെ ആവശ്യത്തെ പ്രതിപാദിച്ചു. അതിന്മേൽ യാതൊരുനടപടിയും ഇതുവരെ നടത്തികണ്ടിട്ടില്ല. അടുത്തകൊല്ലത്തെ ബഡ്ജറിലും യാതൊരുതുകയും ഇതിനായി കൊള്ളിച്ചുകാണുന്നുമില്ല. അതിനാൽ അടുത്തകൊല്ലത്തിൽ എങ്കിലും ഇതിനെപറ്റി ഗൌനിക്കേണ്ടതാണെന്നു ഞാൻ ഗവർമ്മെൻറിനെ ഉൽബോധിപ്പിച്ചുകൊള്ളുന്നു.

Mr. N. Ramakrishna Pillai (*Vaikom* cum *Shertallai*) : Sir, with regard to the demand I have only to bring to the notice of this House the desirability of making a further reduction in the rate of charges for electric supply so that the private consumers may have an increased benefit of the use of light. Now it seems that the rate per unit is 6 annas. If a reduction to the extent of two annas is made and the rate fixed at 4 annas, I believe the number of consumers will increase and the Department instead of losing thereby may gain very much. Demand and supply depend upon each other, and if there is an increased demand, necessarily there must be an increased profit. I believe under the conditions now prevailing there is every probability that by a reduction of the rates the number of consumers will increase in proportion. From

LIBRARY ARCHIVES Kerala Legislative Assembly

the answers to the questions asked today, it would appear that private consumers pay to Government more than a lakh and fifty thousand rupees at the prevailing rate of 6 annas per unit. I am sure that if the Department will reduce the rate to at least 4 annas a unit, the amount realised on account of the increased number of consumers will be very considerable. I hope that this aspect of the question will be considered by the Department as well as the Government. With these remarks I support the Demand.

Mr. M. N. Paramesvaran Pillai : Sir, as a member representing a constituency comprising also the Trivandrum Municipality, I wish to say a few words in this connection. My friend Mr. N. Ramakrishna Pillai is perfectly right in his observation that the rates fixed by the Department for the supply of electric current are very high when compared with the rates obtaining in other places outside this State. Sir, you may remember that we have been repeatedly urging the necessity for reduction in the present rates for current, so that it may be possible for the residents of this town to get the maximum benefit of a good electric supply system. Although the Department has been working for well-nigh eight years, the consumption of electricity has not very much increased. This morning, the Electrical Engineer himself has stated in answer to my interpellations that the receipts from his Department, excluding the amount due from Government for the supply of current to them, are very much below a lakh of rupees notwithstanding the prevaling high rates. The scheme should be made still more popular by a further increase in the consumption of electricity. It will then become possible for the Department to make the supply cheaper. If the rates are reduced, the consumption is sure to increase, and increase of consumption will, in its turn, help further reduction in the rates. At present the Department is not prepared even to extend any concession to such big consumers like the Trivandrum Municipality. In spite of deputations and representations, the Department has not come to any amicable settlement with the Municipality in regard to the rates. In answer to the questions put by me in one of the previous sessions, the Electrical Engineer has admitted that his Department is able to generate electric power at a rate not exceeding 1¼ annas. But for various reasons, we find that the Department is not able to bring down the rates. In the first place the working expenses of the scheme are too high. Then again the Government set apart nearly 9 per cent. interest on the capital spent on the scheme. If, after deducting reasonable working charges and depreciation, Government expect only a reduced rate of interest on the outlay the Department will, no doubt, be in a position to supply current at reduced and very favourable rates.

LIBRARY ARCHIVES Kerala Legislative Assembly

Mr. M. Govindan : What is the rate at Madras ?

Mr. M N. Paramesvaran Pillai : I do not know. But this much I know, that in Trichinopoly, the rates are cheaper.

Mr. K P. Padmanabha Menon : Is the member aware that at Trichinopoly the current is supplied from Pycara ?

Mr. M. N. Paramesvaran Pillai : May be so.

Sir, the electric supply scheme was started in this city mainly with a view to light the public streets. But to-day what we find is that several important streets alone are lighted, whereas in most of the important streets only supply posts are put up and that too for the sake of a few private consumers. These posts now standing on the road sides cause obstruction to drunkards and knight-errants. I trust the Department will soon come to some definite understanding with the Trivandrum Muncipality and make satisfactory arrangements whereby the supply lines already installed may be provided with electric lights and important streets may be taken up for lighting during the ensuing year. I hope these matters will receive the earnest attention of Government.

Mr. K. P. Padmanabha Menon : Sir, one of the important subjects which Mr. Kattakayam brought to the notice of this House is the Idiki Hydro-Electric Scheme. That has also been a subject of interpellations in the other House. I would like to take advantage of the present opportunity to explain the whole position, Before the execution of the Pallivasal scheme was contemplated other possibilities of generating power were also considered and the possibility of generating power from Idiki was brought to the notice of the Department by a gentleman who has actually been to the place. The reasons that we preferred Pallivasal are two-fold. It is a common knowledge in the hydro-electric economics that where a large amount of power is to be developed one should be assured of a market for the power and the scheme should be capable of gradual expansion. It may be true that Idiki may be capable of generating more power than Pallivassal. The question is whether the financial result that we might expect from the Pallivassal scheme for the capital expenditure incurred on it would be the same as that from the Idiki scheme.

Mr. J. John Kattakayam: വൈദ്യുതശക്തി ഏട്ടുക്കുന്നതിനു പള്ളിവാസലിനെക്കാൾ ഇടുക്കിയിലേക്കുടുതൽ സൌകര്യമായിട്ടുള്ളതു ?

Mr K. P. Padmanabha Menon: I don't agree at all. Idiki is practically in a locked part of the country.

LIBRARY ARCHIVES Kerala Legislative Assembly

Mr. J. John Kattakayam: തിരുവനന്തപുരത്തുനിന്നും ഇടുക്കിയിലേക്കോ, പള്ളിവാസലിലേക്കോ അധികം ദൂരമുള്ളതു്?

Mr. K. P. Padmanabha Menon: That is quite immaterial. We are not proposing at present to bring power to Trivandrum from Pallivassal. Idiki is nearer to Trivandrum, it is true. But that cannot be a reason for preferring it to Pallivassal.

Mr. J. John Kattakayam: മെമ്പർ ഇടുക്കി സന്ദർശിച്ചിട്ടുണ്ടോ?

Mr. K. P. Padmanabha Menon: Sir, the fact that I have not been tehre does not make my arguments weaker. But I know that at least 3 or 4 lakhs of rupees will have to be spent for opening up a communication to that place.

Mr. J. John Kattakayam: ആരിൽനിന്നാണു് മെമ്പർക്കു ഈ അറിവുകളെല്ലാം ലഭിച്ചിട്ടുള്ളതു്?

Mr. K. P. Padmanabha Menon: That is quite immaterial. I have made my own investigations.

Mr. J. John Kattakayam: സർ, പായിൻറ് ഓഫ് ഓർഡർ. എന്റെ ചോദ്യത്തിനു അദ്ദേഹം എന്തു മറുപടി പറഞ്ഞു എന്നു മനസ്സിലായില്ല.

Mr. K. P. Padmanabha Menon: Sir, I need not answer all the questions.

Mr J. John Kattakayam: ആരിൽ നിന്നാണു് ഇടുക്കിയെപ്പറ്റിയുള്ള വിവരം അദ്ദേഹം ഗ്രഹിച്ചതു്?

Chairman: അതു പറയേണ്ട ആവശ്യമില്ലെന്നാണു് അദ്ദേഹം പറഞ്ഞതു്.

Mr. K. P. Padmanabha Menon: The place is called 'Idiki' because, I should imagine, that two mountains on either side of the river converge at that particular place and form a gorge. We can generate perhaps more power than is possible from Pallivassal, But the question is whether it will be possible to find a market for it in the near future.

Mr. J John Kattakayam: പള്ളിവാസലിൽ കിട്ടുന്നതിനെക്കാൾ കൂടുതൽ പവ്വർ ഇടുക്കിയിൽ നിന്നുണ്ടാക്കാമെന്നു മെമ്പക്കറിയാമോ?

Chairman: മലയാളത്തിൽ മറുപടി പറയണം.

Mr. K. P. Padmanabha Menon: പള്ളിവാസലിനെക്കാൾ എത്രയോ കൂടുതൽ പവ്വർ ഇടുക്കിയിൽ ഉണ്ടാക്കാമെന്നിരുന്നാലും പള്ളിവാസലിലെ കിടവിൽനിന്നും കുറഞ്ഞ ചിലവിൽ ഇടുക്കിയിൽനിന്നും പവ്വർ ഉണ്ടാക്കാൻ സാധിക്കുകയില്ല.

LIBRARY ARCHIVES Kerala Legislative Assembly

[Mr. K. P. Padmanabha Menon.]

So that one has to consider all these general aspects. Why a detailed investigation was not taken up was because there was no pressing need for it. Moreover we have to consider the amount of capital expenditure involved in this proposel. To reap the full benefit of a hydro-electric Scheme it may take several years. Mysore took 32 years for their hydro-electric scheme to give them a market for their full development. I think that Pallivasal can generate up to a maximum of 40,000 horse power and this is all that may be required for the next 30 years. The main advantage of Pallivasal is its flexibility, in other words, the feasibility of developing the full resources in gradual stages, so that the return for the capital expenditure would be steady from the commencement. It may be interesting to the House to know that it is anticipated that the capital expenditure at Pallivasal will not exceed Rs. 700 per horse power, perhaps the lowest in India. I do not believe that Idiki could generate power with a cheaper capital cost unless all the power that is available is developed and is sold. There is again another difficulty. The proposal now brought forward by my honourable friend would involve the work of diverting one river to another, that is diverting the Periyar to the Muvattupuzha river. That may lead to serious complications affecting the agricultural interests. So the question of generating power from Idiki is not so simple as is made out to be.

Now, with regard to accidents, I don't know the source of Mr. Kattakayam's information.

Chairman: You need not answer that part of the question.

Mr. K. P. Padmanabha Menon: The next point raised is with regard to the collapse of the building at Pallom. Much has been made of this by Mr. Kattakayam. But I may mention for the information of the House that the total amount of damage is only somewhere about Rs. 200 and as far as I know this has to be made good by the contractor.

Then with regard to the question of extending the power from Trivandrum to Neyyattinkara I may inform the honourable member that no requisition has been received up till now for taking up this work although there had been some informal talks on it. If a requisition comes from the Municipality, I will certainly take up the question. Complaints were raised by two honourable members that the rates in Trivandrum were high. I may state for the information of the House that out of the 70 and odd power supply concerns in India, there are only 6 places which supply power at a cheaper rate than Trivandrum. It is impossible at the

LIBRARY ARCHIVES Kerala Legislative Assembly

present time to reduce the rate from 6 annas to 4 annas. The present state of finances of the supply concern will not allow such a drastic reduction. Regarding the rates for Municipal lighting, the matter is now being considered by Government. I have been asked to go into this question and suggest ways and means to reduce the rates and to light up more roads. The question is engaging the serious attention of the Department and the Government.

The comparison made by Mr. M. N. Paramesvaran Pillai of the Trivandrum Electric Supply and the Trichinopoly Electric Supply will not be correct if certain factors are also considered. In Trichinopoly, the Municipality had to meet the capital cost of the street lighting installation charges, in Trivandrum this expenditure is a charge on the Trivandrum Electric Supply.

Mr. N. Ramakrishna Pillai May I know whether the increase in the number of consumers will not compensate the loss on account of the reduction of the rate ?

Mr. K. P. Padmanabha Menon : That has not been my experience. In spite of the present rate I have been able to maintain an increase in the number of consumers at the rate of 30 per mensem. And we have not by any means reached a static stage in the matter of the number of consumers. Current is supplied to all classes of consumers at a uniform rate of 6 annas.

Mr. Kesavan Nampuiripad (*Jenmies*) : May I know the rate at which the Railway Station is supplied with current ?

Mr. K. P. Padmanabha Menon : The railway is not classed as an ordinary consumer. They are getting the current at 4 annas a unit.

Mr. John Kattakayam : ഞാൻ ഉപക്ഷേപം പിൻവലിക്കുന്നു.

Chairman : I put it that demand No. XIII—Electricity and Telephone for Rs. 41,97,431 be passed. The demand was passed and the grant was made.

DEMAND XIV—TAXES ON INCOME.

Mr. K. George : Sir, I move for a grant of Rs. 22,921 under Demand XIV—Taxes on Income.

LIBRARY ARCHIVES Kerala Legislative Assembly